



# W7150EU

1/2" Cordless Impactool™  
1057 Nm (780 lb-ft)



## Convenience of cordless. Power of air.

The W7150EU high-torque 1/2" Impactool™ is the only cordless impact wrench that can perform as our best-in-class 2135QTiMAX, 1/2" air Impactool. The W7150EU cordless tool will make quick work of tough jobs that professional technicians do every day. Do the Job! Do it Fast! Do it Every Time!

- **1057 Nm (780 ft-lb) of maximum torque** and 1486 Nm (1100 ft-lb) of nut-busting torque, that's the best-in-class performance.
- **All-metal impact mechanism** and drive train provide the ultimate in durability and reliability.
- **High-power rare earth magnet motor** offers a long life and high power.
- **Steel-reinforced housings** add strength for unmatched drop resistance.
- **Over-molded soft-touch grip** minimizes vibration, reduces fatigue and enhances user comfort.
- **Variable speed switch** with electronic brake provides maximum control of the tool.
- **Convenient one-hand operation** with reverse control at trigger.
- **High-capacity 3.0 Ah battery** delivers maximum performance and runtime.



Tool only is delivered without battery and charger. Kit contains: cordless tool, charger, 2 Li-ion batteries and blow molded case.

## Specifications

<b>DESCRIPTION</b>	Part number	W7150EU
	Ordering number (tool only)	48391692
	Part number (kit)	W7150EU-K2
	Ordering number (kit)	48391734
	Voltage (DC)	20 V
	Drive size (square)	1/2 in
<b>PERFORMANCE</b>	Working torque in forward	50 - 550 ft-lb / 68 - 746 Nm
	Maximum torque in forward	600 ft-lb / 813 Nm
	Working torque in reverse	650 ft-lb / 880 Nm
	Maximum torque in reverse	780 ft-lb / 1 057 Nm
	Nut busting torque in reverse	1100 ft-lb / 1486 Nm
	Free speed	0 - 1900 rpm
<b>NOISE &amp; VIBRATION</b>	Impacts per minute	2300
	Sound pressure / power (EN60745)	89.0 / 100.0 dB(A)
	Vibration level / measurement uncertainty (EN60745)	12.2 / 1.8 m/s <sup>2</sup>
<b>WEIGHT &amp; DIMENSIONS</b>	Tool weight with battery	6.8 lb / 3.1 kg
	Tool dimensions with battery (L x W x H)	238 x 83 x 232 mm
	Shipping weight (tool only)	6.2 lb / 2.8 kg
	Shipping weight (kit)	16.7 lb / 7.6 kg
	Shipping dimensions (tool only) (L x W x H)	229 x 267 x 92 mm
	Shipping dimensions (kit) (L x W x H)	472 x 387 x 127 mm
	UPC / EAN code (tool only)	6 63024 00557 6
	UPC / EAN code (kit)	6 63024 00564 4
	Origin	Made in China

## Accessories

### BL2010

CPN: 48386791  
Li-Ion battery, 20 V, 3.0 Ah



### BC1120-EU

CPN: 17028960  
Universal battery charger



### 4UA9

CPN: 03070216  
1/2" right-angle head  
(speed reduction: 25%,  
torque output reduction: up to 50%)



### 105-4T-6

CPN: 04618930  
Grease for Impacttools hammer  
mechanism (6 tubes)



### 67-4T

CPN: 04637336  
Grease for high-speed angle heads

### SK4M3L

CPN: 81287377  
1/2" Impact socket set (3 pcs.):  
17, 19 and 21 mm



### SK4M5L

CPN: 81287369  
1/2" Impact socket set (5 pcs.):  
17, 19, 21, 22 and 24 mm.



### SK4M14

CPN: 81287351  
1/2" Impact socket set (14 pcs.):  
10, 11, 12, 13, 14, 15, 16, 17, 18,  
19, 21, 22, 23 and 24 mm.



### SK4M18

CPN: 81287385  
1/2" Impact socket set (18 pcs.):  
10, 11, 13, 14, 17, 19, 21, 22,  
24 mm – 13, 14, 21, 24, 17, 19,  
21 mm long sockets – 125 mm  
extension.



Ingersoll Rand (NYSE:IR) advances the quality of life by creating and sustaining safe, comfortable and efficient environments. Our people and our family of brands — including Club Car®, Ingersoll Rand®, Schlage®, Thermo King® and Trane® — work together to enhance the quality and comfort of air in homes and buildings, transport and protect food and perishables, secure homes and commercial properties, and increase industrial productivity and efficiency. Ingersoll Rand products range from complete compressed air systems, tools and pumps to material handling systems. The diverse and innovative products, services and solutions enhance our customers' energy efficiency, productivity and operations. Ingersoll Rand is a \$14 billion global business committed to a world of sustainable progress and enduring results.

Ingersoll Rand, IR and the IR logo are trademarks of Ingersoll Rand, its subsidiaries and/or affiliates.

Nothing contained on these pages is intended to extend any warranty or representation, expressed or implied, regarding the product described herein. Any such warranties or other terms and conditions of sale of products shall be in accordance with Ingersoll Rand's standard terms and conditions of sale for such products, which are available upon request. Product improvement is a continuing goal at Ingersoll Rand. Designs, available functions and specifications are subject to change without notice or obligation.